

**IN LIEU OF
DIRECTORS' MEETING
MONDAY, DECEMBER 21, 2009**

I. CITY CLERK

II. CORRESPONDENCE FROM THE MAYOR & DIRECTORS TO COUNCIL

MAYOR

1. NEWS RELEASE. Mayor presents November Award of Excellence to Deborah Baines.
2. Drinking water samples tested for Total Coliform and E. Coli bacteria by the Colilert® method of analysis.
3. NEWS ADVISORY. Mayor Beutler will make an announcement on the City's stimulus-funded street projects on Thursday, December 17, 2009, 10:00 am, at 2500 Wildcat Drive, after a ribbon-cutting at Anderson Ford Lincoln Mercury Mazda. (Sent to Council Members on Wednesday, December 16, 2009)
4. NEWS RELEASE. Stimulus-funded street projects get green light.
5. Washington Report, December 11, 2009.

DIRECTORS

HEALTH DEPARTMENT

1. NEWS RELEASE. Unvaccinated individuals in the high priority groups are encouraged to get the H1N1 flu vaccine now. Vaccine will be available to the general public beginning December 21, 2009.

PLANNING COMMISSION

1. Action by Planning Commission, December 16, 2009.

PLANNING COMMISSION FINAL ACTION

1. Special Permit No. 09027. Indoor Kennel. NW corner, South 40th and Old Cheney Road. Resolution No. PC-01187.

PUBLIC WORKS AND UTILITIES

1. Contact for snow information.

III. COUNCIL RFI'S AND CITIZEN CORRESPONDENCE TO INDIVIDUAL COUNCIL MEMBERS


DOUG EMERY

1. InterLinc correspondence from Sandy Elton on street condition.

IV. CORRESPONDENCE FROM CITIZENS TO COUNCIL

V. ADJOURNMENT

W:\FILES\CITYCOUN\WP\DA122109.wpdmm



NEWS RELEASE

MAYOR CHRIS BEUTLER

lincoln.ne.gov

OFFICE OF THE MAYOR

555 South 10th Street, Lincoln, NE 68508, 441-7511, fax 441-7120

FOR IMMEDIATE RELEASE: December 14, 2009

FOR MORE INFORMATION: Diane Gonzolas, Citizen Information Center, 441-7831

MAYOR PRESENTS NOVEMBER AWARD OF EXCELLENCE

The Mayor's Award of Excellence for November was presented today to Deborah Baines, an office specialist in Aging Partners. The monthly award recognizes City employees who consistently provide exemplary service and work that demonstrates personal commitment to the City. The award was presented at today's City Council meeting.

Baines has worked for the City since 1995. The Aging Partners management team nominated her in the categories of customer relations, loss prevention and productivity for her leadership in Aging's recent office consolidation.

To save money without cutting services, Aging Partners decreased its square footage by 20 percent, saving more than \$12,000 a month. The management team said Baines continually monitored progress and adjusted the schedule as needed. The agency did not need to hire movers because Baines recruited and supervised volunteers and a team from County Corrections. Just four days after the lease expired, all 100-plus staff members had work stations, computers, phones and equipment along with the files and equipment they needed to do their jobs. Services were provided almost seamlessly throughout the summer with only minimal disruptions.

The nominators wrote that Baines is a wonderful example of the power of a positive attitude and what can be accomplished when an individual employee takes pride in her work.

The other categories in which employees can be nominated are safety and valor. Consideration also may be given to nominations that demonstrate self-initiated accomplishments or those completed outside of the nominee's job description. All City employees are eligible for the Mayor's Award of Excellence except for elected and appointed officials. Individuals or teams can be nominated by supervisors, peers, subordinates and the general public. Nomination forms are available on the City Web site at lincoln.ne.gov (keyword: personnel) or from department heads, employee bulletin boards or the Personnel Department, which oversees the awards program.

All nominations are reviewed by the Mayor's Award of Excellence Committee, which includes a representative with each union and a non-union representative appointed by the Mayor. Award winners receive a \$100 U.S. savings bond, a day off with pay and a plaque. Monthly winners are eligible to receive the annual award, which comes with a \$500 U.S. savings bond, two days off with pay and a plaque.



December 14, 2009

The Honorable Mayor and City Council

All of the drinking water samples were tested for Total Coliform and E. coli bacteria by the Colilert® method of analysis.

Regulatory Tests during the month of November 2009 - Revised:			
Test Type	# of tests	# of positive Total Coliform samples	# of positive E.coli samples
Routine	185*	0	0
Initial Repeat	0	0	0

Nonregulatory Tests during the month of November 2009 - Revised :			
Test Type	# of tests	# of positive Total Coliform samples	# of positive E.coli samples
Quantitray	0	0	0
Special Quantitray	11	2	0
13 Parameter	1	0	0

* This is a revision of the original report which listed 186 as the total number of routine tests. P37529-145 appeared in the original spreadsheet twice.

Respectfully,

Sandra Irons
Nebraska Public Health Environmental Laboratory
Lab Manager

enc.

RECEIVED
DEC 15 2009
MAYORS OFFICE

City of Lincoln
Total Coliform Sample Results

Sample Number	Address	Site	Parameter	Result	Count	Sample Type	Comments	Collection Date	Collected By
P37529-1	6501 N 28 ST	12-2H	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.67	02-Nov-09	STEVE VANDENBERG
P37529-1	6501 N 28 ST	12-2H	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.67	02-Nov-09	STEVE VANDENBERG
P37529-2	2641 FAIRFIELD ST	12-2D	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.92	02-Nov-09	STEVE VANDENBERG
P37529-2	2641 FAIRFIELD ST	12-2D	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.92	02-Nov-09	STEVE VANDENBERG
P37529-3	4605 N 14 ST	12-3A	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.86	02-Nov-09	STEVE VANDENBERG
P37529-3	4605 N 14 ST	12-3A	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.86	02-Nov-09	STEVE VANDENBERG
P37529-4	3401 W LUKE ST	12-4A	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 0.07	02-Nov-09	STEVE VANDENBERG
P37529-4	3401 W LUKE ST	12-4A	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 0.07	02-Nov-09	STEVE VANDENBERG
P37529-5	5435 NW 1 ST	12-3E	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.75	02-Nov-09	STEVE VANDENBERG
P37529-5	5435 NW 1 ST	12-3E	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.75	02-Nov-09	STEVE VANDENBERG
P37529-6	2925 NW 12 ST	12-6F	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 0.71	02-Nov-09	STEVE VANDENBERG
P37529-6	2925 NW 12 ST	12-6F	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 0.71	02-Nov-09	STEVE VANDENBERG
P37529-7	550 W CORNHUSKER HWY	12-6D	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.59	02-Nov-09	STEVE VANDENBERG
P37529-7	550 W CORNHUSKER HWY	12-6D	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.59	02-Nov-09	STEVE VANDENBERG
P37529-8	501 WESTGATE BLVD	12-6B	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.54	02-Nov-09	STEVE VANDENBERG
P37529-8	501 WESTGATE BLVD	12-6B	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.54	02-Nov-09	STEVE VANDENBERG
P37529-9	1200 N 10 ST	12-6A	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.80	02-Nov-09	STEVE VANDENBERG
P37529-9	1200 N 10 ST	12-6A	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.80	02-Nov-09	STEVE VANDENBERG
P37529-10	240 N 17 ST	12-7I	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.89	02-Nov-09	STEVE VANDENBERG
P37529-10	240 N 17 ST	12-7I	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.89	02-Nov-09	STEVE VANDENBERG
P37648-7	6501 CROOKED CREEK D	12-7I	E. COLI	E. coli absent	0	SPECIAL QUANTITRY	Residual chlorine (ppm) 0.10	02-Nov-09	STEVE VANDENBERG
P37648-7	6501 CROOKED CREEK D	12-7I	TOTAL COLIFORM	cfu/100ml - meets bacteriological standards	0	SPECIAL QUANTITRY	Residual chlorine (ppm) 0.10	02-Nov-09	STEVE VANDENBERG
P37529-11	5400 GLADE ST	1-11K	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.87	03-Nov-09	STEVE VANDENBERG
P37529-11	5400 GLADE ST	1-11K	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.87	03-Nov-09	STEVE VANDENBERG
P37529-12	4401 N 70 ST	1-1A	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.95	03-Nov-09	STEVE VANDENBERG
P37529-12	4401 N 70 ST	1-1A	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.95	03-Nov-09	STEVE VANDENBERG
P37529-13	6200 N 56 ST	1-1D	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.16	03-Nov-09	STEVE VANDENBERG
P37529-13	6200 N 56 ST	1-1D	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.16	03-Nov-09	STEVE VANDENBERG
P37529-14	4700 SUPERIOR ST	1-2F	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.97	03-Nov-09	STEVE VANDENBERG
P37529-14	4700 SUPERIOR ST	1-2F	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.97	03-Nov-09	STEVE VANDENBERG
P37529-15	1621 SUPERIOR ST	1-2G	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.89	03-Nov-09	STEVE VANDENBERG
P37529-15	1621 SUPERIOR ST	1-2G	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.89	03-Nov-09	STEVE VANDENBERG
P37529-16	1344 N 27 ST	1-7G	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 2.00	03-Nov-09	STEVE VANDENBERG
P37529-16	1344 N 27 ST	1-7G	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 2.00	03-Nov-09	STEVE VANDENBERG
P37529-17	303 N 52 ST	1-8C	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.40	03-Nov-09	STEVE VANDENBERG
P37529-17	303 N 52 ST	1-8C	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.40	03-Nov-09	STEVE VANDENBERG
P37529-18	2811 N 48 ST	1-8D	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.90	03-Nov-09	STEVE VANDENBERG
P37529-18	2811 N 48 ST	1-8D	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.90	03-Nov-09	STEVE VANDENBERG
P37529-19	8350 NORTHWOODS DR	1-8J	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.90	03-Nov-09	STEVE VANDENBERG
P37529-19	8350 NORTHWOODS DR	1-8J	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.90	03-Nov-09	STEVE VANDENBERG
P37651-2	3728 C ST	0	E. COLI	E. coli absent	0	SPECIAL QUANTITRY	Residual chlorine (ppm) 1.87	03-Nov-09	STEVE VANDENBERG
P37651-2	3728 C ST	0	TOTAL COLIFORM	cfu/100ml - meets bacteriological standards	0	SPECIAL QUANTITRY	Residual chlorine (ppm) 1.87	03-Nov-09	STEVE VANDENBERG
P37651-3	215 PARK VISTA	0	E. COLI	E. coli absent	0	SPECIAL QUANTITRY	Residual chlorine (ppm) 1.52	03-Nov-09	STEVE VANDENBERG
P37651-3	215 PARK VISTA	0	TOTAL COLIFORM	cfu/100ml - meets bacteriological standards	0	SPECIAL QUANTITRY	Residual chlorine (ppm) 1.52	03-Nov-09	STEVE VANDENBERG
P37655-3	12TH & HUMPHREY	0	E. COLI	E. coli absent	0	SPECIAL QUANTITRY	Residual chlorine (ppm) 1.82	03-Nov-09	STEVE VANDENBERG
P37655-3	12TH & HUMPHREY	0	TOTAL COLIFORM	cfu/100ml - does not meet bacteriological standards	1	SPECIAL QUANTITRY	SPECIAL REQUEST	04-Nov-09	CHUCK SEUFERER
P37655-3	12TH & HUMPHREY	0	E. COLI	E. coli absent	0	SPECIAL QUANTITRY	Residual chlorine (ppm) 2.03	04-Nov-09	STEVE VANDENBERG
P37655-3	12TH & HUMPHREY	0	TOTAL COLIFORM	absent - meets bacteriological standards	0	SPECIAL QUANTITRY	Residual chlorine (ppm) 2.03	04-Nov-09	STEVE VANDENBERG
P37659-20	9800 ALVO RD	2-1F	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 2.03	04-Nov-09	STEVE VANDENBERG
P37659-20	9800 ALVO RD	2-1F	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 2.03	04-Nov-09	STEVE VANDENBERG
P37659-21	8300 O ST	2-9F	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.50	04-Nov-09	STEVE VANDENBERG
P37659-21	8300 O ST	2-9F	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.50	04-Nov-09	STEVE VANDENBERG
P37659-22	8211 SOUTH ST	2-10A	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.65	04-Nov-09	STEVE VANDENBERG
P37659-22	8211 SOUTH ST	2-10A	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.65	04-Nov-09	STEVE VANDENBERG
P37659-23	5757 S 85 ST	2-16J	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.01	04-Nov-09	STEVE VANDENBERG
P37659-23	5757 S 85 ST	2-16J	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.01	04-Nov-09	STEVE VANDENBERG
P37659-24	5600 S 56 ST	2-16B	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 0.30	04-Nov-09	STEVE VANDENBERG
P37659-24	5600 S 56 ST	2-16B	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 0.30	04-Nov-09	STEVE VANDENBERG
P37659-25	3400 VILLAGE DR	2-15A	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.20	04-Nov-09	STEVE VANDENBERG
P37659-25	3400 VILLAGE DR	2-15A	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.20	04-Nov-09	STEVE VANDENBERG
P37659-26	2700 PORTER RIDGE RD	2-15F	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 0.51	04-Nov-09	STEVE VANDENBERG
P37659-26	2700 PORTER RIDGE RD	2-15F	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 0.51	04-Nov-09	STEVE VANDENBERG
P37659-27	4750 CALVERT ST	2-11G	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.73	04-Nov-09	STEVE VANDENBERG
P37659-27	4750 CALVERT ST	2-11G	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.73	04-Nov-09	STEVE VANDENBERG
P37659-28	5800 SUMNER ST	2-10H	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 0.61	04-Nov-09	STEVE VANDENBERG
P37659-28	5800 SUMNER ST	2-10H	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 0.61	04-Nov-09	STEVE VANDENBERG
P37659-29	4801 RANDOLPH ST	2-11J	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.17	04-Nov-09	STEVE VANDENBERG
P37659-29	4801 RANDOLPH ST	2-11J	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.17	04-Nov-09	STEVE VANDENBERG
P37659-30	1445 S 17 ST	3-12J	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.77	05-Nov-09	VANDENBERG, STEVE
P37659-30	1445 S 17 ST	3-12J	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 1.77	05-Nov-09	VANDENBERG, STEVE
P37659-31	3180 SOUTH ST	3-12D	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 0.96	05-Nov-09	VANDENBERG, STEVE
P37659-31	3180 SOUTH ST	3-12D	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 0.96	05-Nov-09	VANDENBERG, STEVE
P37659-32	1600 WILDERNESS	3-14J	E. COLI	E. coli absent	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 0.06	05-Nov-09	VANDENBERG, STEVE
P37659-32	1600 WILDERNESS	3-14J	TOTAL COLIFORM	absent - meets bacteriological standards	0	Monthly Routine Total Coliform CL	Residual chlorine (ppm) 0.06	05-Nov-09	VANDENBERG, STEVE

OR = Original Location, UP = Upstream, DN = Downstream, OT = Other Location

City of Lincoln
Total Coliform Sample Results

Sample ID	Location	Sample Date	Sample Time	Sample Type	Sample Description	Sample Result	Residual Chlorine (ppm)	Notes
P37529-33	6720 ROCKWOOD LN	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	0.32	MEETS BACTERIOLOGICAL STANDARDS
P37529-34	6720 ROCKWOOD LN	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	0.32	
P37529-35	1421 CENTER PARK RD	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	1.43	
P37529-36	1421 CENTER PARK RD	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	1.43	
P37529-37	2720 WVAN DORN ST	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	1.25	
P37529-38	2720 WVAN DORN ST	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	1.25	
P37529-39	1700 S CODDINGTON AV	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	0.55	
P37529-40	1700 S CODDINGTON AV	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	0.55	
P37529-41	610 S 10 ST	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	0.96	
P37529-42	610 S 10 ST	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	0.96	
P37529-43	2718 E ST	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	1.81	
P37529-44	2718 E ST	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	1.81	
P37529-45	1901 VINE ST	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	1.79	
P37529-46	1901 VINE ST	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	1.79	
P37667-4	12TH & HUMPHREY	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	1.48	
P37667-5	12TH & HUMPHREY	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	1.48	
P37675-3	12TH & HUMPHREY	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	1.48	
P37675-4	12TH & HUMPHREY	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	1.48	
P37675-5	12TH & HUMPHREY	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	1.48	
P37675-6	12TH & HUMPHREY	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	1.48	
P37529-40	4111 N 27 ST	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	1.87	
P37529-41	4111 N 27 ST	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	1.87	
P37529-42	4000 N 1 ST	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	1.94	
P37529-43	4000 N 1 ST	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	1.94	
P37529-44	2050 FLETCHEER AVE	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	1.94	
P37529-45	2050 FLETCHEER AVE	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	1.94	
P37529-46	475 FALLBROOK BLVD	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	1.62	
P37529-47	475 FALLBROOK BLVD	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	1.62	
P37529-48	3920 W KEARNEY ST	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	0.95	
P37529-49	3920 W KEARNEY ST	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	0.95	
P37529-50	5300 W KNIGHT DR	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	0.06	
P37529-51	5300 W KNIGHT DR	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	0.06	
P37529-52	1440 ADAMS ST	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	0.77	
P37529-53	1440 ADAMS ST	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	0.77	
P37529-54	1700 V ST	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	1.80	
P37529-55	1700 V ST	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	1.80	
P37529-56	1225 F ST	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	1.97	
P37529-57	1225 F ST	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	1.97	
P37529-58	1449 N 56 ST	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	1.62	
P37529-59	1449 N 56 ST	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	1.62	
P37681-4	12TH & HUMPHREY	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	1.62	
P37681-5	12TH & HUMPHREY	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	1.62	
P37529-50	4400 O ST	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	1.09	
P37529-51	4400 O ST	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	1.09	
P37529-52	5100 CORNHUSKER HWY	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	2.08	
P37529-53	5100 CORNHUSKER HWY	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	2.08	
P37529-54	700 N 70 ST	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	1.32	
P37529-55	700 N 70 ST	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	1.32	
P37529-56	2635 N 63 ST	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	0.84	
P37529-57	2635 N 63 ST	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	0.84	
P37529-58	6245 I ST	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	1.72	
P37529-59	6245 I ST	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	1.72	
P37529-60	1001 S 70 ST	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	1.80	
P37529-61	1001 S 70 ST	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	1.80	
P37529-62	2845 S 70 ST	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	0.57	
P37529-63	2845 S 70 ST	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	0.57	
P37529-64	5030 S 74 ST	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	1.72	
P37529-65	5030 S 74 ST	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	1.72	
P37529-66	8600 AMBER HILL CT	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	1.80	
P37529-67	8600 AMBER HILL CT	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	1.80	
P37529-68	2500 N ST	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	0.62	
P37529-69	2500 N ST	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	0.62	
P37529-70	1265 S COTNER BLVD	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	0.13	
P37529-71	1265 S COTNER BLVD	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	0.13	
P37529-72	2900 A ST	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	0.62	
P37529-73	2900 A ST	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	0.62	
P37529-74	6601 PIONEERS BLVD	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	1.60	
P37529-75	6601 PIONEERS BLVD	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	1.60	
P37529-76	7100 PIONEERS BLVD	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	1.73	
P37529-77	7100 PIONEERS BLVD	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	1.73	
P37529-78	7301 STEVENS RIDGE R	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	0.59	
P37529-79	7301 STEVENS RIDGE R	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	0.59	
P37529-80	6701 S 14 ST	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	0.22	
P37529-81	6701 S 14 ST	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	0.22	
P37529-82	2201 OLD CHENEY RD	05-Nov-09	11:00	TOTAL COLIFORM	E. coli absent	Monthly Routine Total Coliform CL	0.91	
P37529-83	2201 OLD CHENEY RD	05-Nov-09	11:00	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	0.91	

City of Lincoln
Total Coliform Sample Results

Sample ID	Location	Date	Sample Type	Result	Standard	Residual Chlorine (ppm)
P37529-66	2201 OLD CHENEY RD	6-14A	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	November 2009
P37529-67	4000 S 27 ST	6-14C	E. coli	E. coli absent	Monthly Routine Total Coliform CL	November 2009
P37529-68	2010 VAN DORN ST	6-12H	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	November 2009
P37529-69	2145 S 17 ST	6-12E	E. coli	E. coli absent	Monthly Routine Total Coliform CL	November 2009
P37529-70	2727 N 11 ST	7-6G	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	November 2009
P37529-71	2945 NW 25 ST	7-4G	E. coli	E. coli absent	Monthly Routine Total Coliform CL	November 2009
P37529-72	4621 NW 48 ST	7-4C	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	November 2009
P37529-73	4715 W ADAMS ST	7-4J	E. coli	E. coli absent	Monthly Routine Total Coliform CL	November 2009
P37529-74	4000 NW 44 ST	7-4F	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	November 2009
P37529-75	1902 W O ST	7-4E	E. coli	E. coli absent	Monthly Routine Total Coliform CL	November 2009
P37529-76	600 WA ST	7-5A	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	November 2009
P37529-77	3202 S 10 ST	7-13A	E. coli	E. coli absent	Monthly Routine Total Coliform CL	November 2009
P37529-78	5640 S 16 ST	7-14I	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	November 2009
P37529-79	1000 S 13 ST	7-13G	E. coli	E. coli absent	Monthly Routine Total Coliform CL	November 2009
P37529-80	2961 N 70 ST	8-9I	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	November 2009
P37529-81	3640 TOUZALIN AVE	8-1B	E. coli	E. coli absent	Monthly Routine Total Coliform CL	November 2009
P37529-82	4400 CORNHUSKER HWY	8-2C	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	November 2009
P37529-83	5430 SEA MOUNTAIN RD	8-2B	E. coli	E. coli absent	Monthly Routine Total Coliform CL	November 2009
P37529-84	1234 JUDSON ST	8-3G	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	November 2009
P37529-85	5700 NW 10 ST	8-3C	E. coli	E. coli absent	Monthly Routine Total Coliform CL	November 2009
P37529-86	1301 W BOND CIR	8-3D	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	November 2009
P37529-87	3230 APPLE ST	8-7B	E. coli	E. coli absent	Monthly Routine Total Coliform CL	November 2009
P37529-88	901 N COTNER BLVD	8-9H	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	November 2009
P37529-89	820 S 15 ST	8-7F	E. coli	E. coli absent	Monthly Routine Total Coliform CL	November 2009
P37529-90	5045 COLBY ST	9-9A	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	November 2009
P37529-91	3835 HOLDREGE ST	9-8B	E. coli	E. coli absent	Monthly Routine Total Coliform CL	November 2009
P37529-92	920 N 46 ST	9-8F	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	November 2009
P37529-93	1540 N COTNER BLVD	9-9D	E. coli	E. coli absent	Monthly Routine Total Coliform CL	November 2009
P37529-94	7720 VINE ST	9-9B	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	November 2009
P37529-95	1640 S 77 ST	9-10K	E. coli	E. coli absent	Monthly Routine Total Coliform CL	November 2009
P37529-96	7600 HIGH ST	9-10J	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	November 2009
P37529-97	2400 S 56 ST	9-10B	E. coli	E. coli absent	Monthly Routine Total Coliform CL	November 2009
P37529-98	3939 A ST	9-11F	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	November 2009
P37529-99	6000 HAVELock AVE	10-1G	E. coli	E. coli absent	Monthly Routine Total Coliform CL	November 2009
P37529-100	1919 S 40 ST	10-11B	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	November 2009
P37529-101	2510 S 48 ST	10-11C	E. coli	E. coli absent	Monthly Routine Total Coliform CL	November 2009
P37529-102	3709 S 46 ST	10-15S	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL	November 2009
P37529-103	3709 S 46 ST	10-15S	E. coli	E. coli absent	Monthly Routine Total Coliform CL	November 2009

OR = Original Location, UP = Upstream, DN = Downstream, OT = Other Location

City of Lincoln
Total Coliform Sample Results

Sample ID	Address	Sample Type	Result	Standard	Sampling Date	Residual Chlorine (ppm)
P37529-103	7151 STACY LN	E. coli	absent	meets bacteriological standards	November 2009	1.60
P37529-103	7151 STACY LN	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.60
P37529-104	4900 S 52 ST	E. coli	absent	meets bacteriological standards	November 2009	1.61
P37529-104	4900 S 52 ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.61
P37529-105	5300 OLD CHENEY RD	E. coli	absent	meets bacteriological standards	November 2009	1.35
P37529-105	5300 OLD CHENEY RD	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.35
P37529-106	5601 S 27 ST	E. coli	absent	meets bacteriological standards	November 2009	0.83
P37529-106	5601 S 27 ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	0.83
P37529-107	3201 PIONEERS BLVD	E. coli	absent	meets bacteriological standards	November 2009	1.40
P37529-107	3201 PIONEERS BLVD	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.40
P37529-108	1501 W VAN DORN ST	E. coli	absent	meets bacteriological standards	November 2009	1.40
P37529-108	1501 W VAN DORN ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.40
P37529-109	1930 S 20 ST	E. coli	absent	meets bacteriological standards	November 2009	0.22
P37529-109	1930 S 20 ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	0.22
P37529-110	3265 SHERIDAN BLVD	E. coli	absent	meets bacteriological standards	November 2009	1.81
P37529-110	3265 SHERIDAN BLVD	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.81
P37529-111	2200 PINE LAKE RD	E. coli	absent	meets bacteriological standards	November 2009	1.63
P37529-111	2200 PINE LAKE RD	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.63
P37529-112	3211 S 13 ST	E. coli	absent	meets bacteriological standards	November 2009	0.39
P37529-112	3211 S 13 ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	0.39
P37529-113	431 A ST	E. coli	absent	meets bacteriological standards	November 2009	0.56
P37529-113	431 A ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	0.56
P37529-114	1120 S CODDINGTON AV	E. coli	absent	meets bacteriological standards	November 2009	1.61
P37529-114	1120 S CODDINGTON AV	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.61
P37529-115	4131 NW 37 ST	E. coli	absent	meets bacteriological standards	November 2009	0.81
P37529-115	4131 NW 37 ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	0.81
P37529-116	2635 WO ST	E. coli	absent	meets bacteriological standards	November 2009	0.81
P37529-116	2635 WO ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	0.81
P37529-117	121 S 2 ST	E. coli	absent	meets bacteriological standards	November 2009	0.04
P37529-117	121 S 2 ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	0.04
P37529-118	550 W CORNHUSKER HWY	E. coli	absent	meets bacteriological standards	November 2009	0.20
P37529-118	550 W CORNHUSKER HWY	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	0.20
P37529-119	650 N 28 ST	E. coli	absent	meets bacteriological standards	November 2009	1.58
P37529-119	650 N 28 ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.58
P37529-120	4605 N 14 ST	E. coli	absent	meets bacteriological standards	November 2009	1.72
P37529-120	4605 N 14 ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.72
P37529-121	3401 W LUKE ST	E. coli	absent	meets bacteriological standards	November 2009	1.85
P37529-121	3401 W LUKE ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.85
P37529-122	5435 NW 1 ST	E. coli	absent	meets bacteriological standards	November 2009	1.99
P37529-122	5435 NW 1 ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.99
P37529-123	2925 NW 12 ST	E. coli	absent	meets bacteriological standards	November 2009	0.05
P37529-123	2925 NW 12 ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	0.05
P37529-124	550 W CORNHUSKER HWY	E. coli	absent	meets bacteriological standards	November 2009	1.82
P37529-124	550 W CORNHUSKER HWY	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.82
P37529-125	501 WESTGATE BLVD	E. coli	absent	meets bacteriological standards	November 2009	0.95
P37529-125	501 WESTGATE BLVD	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	0.95
P37529-126	1209 N 10 ST	E. coli	absent	meets bacteriological standards	November 2009	1.61
P37529-126	1209 N 10 ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.61
P37529-127	240 N 17 ST	E. coli	absent	meets bacteriological standards	November 2009	1.80
P37529-127	240 N 17 ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.80
P37529-128	5400 GLADE ST	E. coli	absent	meets bacteriological standards	November 2009	1.83
P37529-128	5400 GLADE ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.83
P37529-129	4401 N 70 ST	E. coli	absent	meets bacteriological standards	November 2009	1.83
P37529-129	4401 N 70 ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.83
P37529-130	6200 N 56 ST	E. coli	absent	meets bacteriological standards	November 2009	1.93
P37529-130	6200 N 56 ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.93
P37529-131	4700 SUPERIOR ST	E. coli	absent	meets bacteriological standards	November 2009	1.90
P37529-131	4700 SUPERIOR ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.90
P37529-132	1621 SUPERIOR ST	E. coli	absent	meets bacteriological standards	November 2009	1.92
P37529-132	1621 SUPERIOR ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.92
P37529-133	1344 N 27 ST	E. coli	absent	meets bacteriological standards	November 2009	1.66
P37529-133	1344 N 27 ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.66
P37529-134	303 N 52 ST	E. coli	absent	meets bacteriological standards	November 2009	1.00
P37529-134	303 N 52 ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.00
P37529-135	2811 N 48 ST	E. coli	absent	meets bacteriological standards	November 2009	1.98
P37529-135	2811 N 48 ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.98
P37529-136	8350 NORTHWOODS DR	E. coli	absent	meets bacteriological standards	November 2009	1.52
P37529-136	8350 NORTHWOODS DR	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.52
P37529-137	8300 O ST	E. coli	absent	meets bacteriological standards	November 2009	1.39
P37529-137	8300 O ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.39
P37529-138	8211 SOUTH ST	E. coli	absent	meets bacteriological standards	November 2009	1.61
P37529-138	8211 SOUTH ST	TOTAL COLIFORM	absent	meets bacteriological standards	November 2009	1.61

OR = Original Location, UP = Upstream, DN = Downstream, OT = Other Location


City of Lincoln
Total Coliform Sample Results

Sample ID	Location	Sample Date	Sample Type	Result	Standard
P37528-138	8211 SOUTH ST	2-10A	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37528-139	3757 S 85 ST	2-16J	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37528-139	3757 S 85 ST	2-16J	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37528-140	5600 S 56 ST	2-16B	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37528-140	5600 S 56 ST	2-16B	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-141	3400 VILLAGE DR	2-15A	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-141	3400 VILLAGE DR	2-15A	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-142	2700 PORTER RIDGE RD	2-15F	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-142	2700 PORTER RIDGE RD	2-15F	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-143	4750 CALVERT ST	2-11G	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-143	4750 CALVERT ST	2-11G	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-144	5600 SUMNER ST	2-10H	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-144	5600 SUMNER ST	2-10H	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-145	4801 RANDOLPH ST	2-11J	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-145	4801 RANDOLPH ST	2-11J	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-146	1445 S 17 ST	3-12J	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-146	1445 S 17 ST	3-12J	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-147	3180 SOUTH ST	3-12D	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-147	3180 SOUTH ST	3-12D	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-148	1800 WILDERNESS	3-14J	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-148	1800 WILDERNESS	3-14J	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-149	6720 ROCKWOOD LN	3-15D	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-149	6720 ROCKWOOD LN	3-15D	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-150	1421 CENTER PARK RD	3-14E	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-150	1421 CENTER PARK RD	3-14E	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-151	2720 W VAW DORN ST	3-5E	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-151	2720 W VAW DORN ST	3-5E	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-152	1700 S CODDINGTON AV	3-5C	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-152	1700 S CODDINGTON AV	3-5C	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-153	610 S 10 ST	3-13C	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-153	610 S 10 ST	3-13C	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-154	2718 E ST	3-12I	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-154	2718 E ST	3-12I	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-155	1901 VINE ST	3-7H	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-155	1901 VINE ST	3-7H	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P3763-6	NE #1		TOTAL COLIFORM	cfu/100ml - meets bacteriological standards	0 SPECIAL QUANTITRY
P3763-7	NE #1		TOTAL COLIFORM	cfu/100ml - meets bacteriological standards	0 SPECIAL QUANTITRY
P3763-7	NE #2		TOTAL COLIFORM	cfu/100ml - meets bacteriological standards	0 SPECIAL QUANTITRY
P37529-156	4411 N 27 ST	4-2A	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-156	4411 N 27 ST	4-2A	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-157	4400 N 1 ST	4-3F	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-157	4400 N 1 ST	4-3F	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-158	2050 FLETCHER AVE	4-2J	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-158	2050 FLETCHER AVE	4-2J	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-159	475 FALLBROOK BLVD	4-3J	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-159	475 FALLBROOK BLVD	4-3J	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-160	3920 W KEARNEY ST	4-4E	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-160	3920 W KEARNEY ST	4-4E	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-161	5300 W KNIGHT ST	4-4B	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-161	5300 W KNIGHT ST	4-4B	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-162	1440 ADAMS ST	4-4B	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-162	1440 ADAMS ST	4-4B	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-163	1700 Y ST	4-7E	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-163	1700 Y ST	4-7E	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-164	1225 F ST	4-13H	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-164	1225 F ST	4-13H	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-165	1499 N 56 ST	4-8K	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-165	1499 N 56 ST	4-8K	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P3767-20	NE #1		TOTAL COLIFORM	cfu/100ml - meets bacteriological standards	0 SPECIAL QUANTITRY
P3767-21	NE #2		TOTAL COLIFORM	cfu/100ml - meets bacteriological standards	0 SPECIAL QUANTITRY
P37529-166	4400 O ST	5-8J	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-166	4400 O ST	5-8J	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-167	5100 CORNHUSKER HWY	5-1C	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-167	5100 CORNHUSKER HWY	5-1C	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-168	7000 N 70 ST	5-1H	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-168	7000 N 70 ST	5-1H	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-169	2635 N 63 ST	5-9C	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-169	2635 N 63 ST	5-9C	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009
P37529-170	6245 L ST	5-9G	E. COLI	E. coli absent	Monthly Routine Total Coliform CL, November 2009
P37529-170	6245 L ST	5-9G	TOTAL COLIFORM	Total coliform absent - meets bacteriological standards	Monthly Routine Total Coliform CL, November 2009

OR = Original Location, UP = Upstream, DN = Downstream, OT = Other Location

City of Lincoln
Total Coliform Sample Results

Sample ID	Location	Sample Date	Sample Time	Sample Type	Sample Description	Sample Result	Sample Method	Sample Unit	Sample Status	Sample Date	Sample Time	Sample Type	Sample Description	Sample Result	Sample Method	Sample Unit	Sample Status	
P37529-171	1001 S 70 ST	25-Nov-09	THADEN, EILEEN	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	1.57		25-Nov-09	THADEN, EILEEN	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	1.57		
P37529-172	2845 S 70 ST	25-Nov-09	THADEN, EILEEN	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	0.62		25-Nov-09	THADEN, EILEEN	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	0.62		
P37529-173	5030 S 73 ST	25-Nov-09	THADEN, EILEEN	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	1.53		25-Nov-09	THADEN, EILEEN	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	1.53		
P37529-174	8600 AMBER HILL CT	25-Nov-09	THADEN, EILEEN	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	0.10		25-Nov-09	THADEN, EILEEN	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	0.10		
P37529-175	2500 N ST	25-Nov-09	THADEN, EILEEN	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	1.02		25-Nov-09	THADEN, EILEEN	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	1.02		
P37529-176	1265 S COTNER BLVD	30-Nov-09	HANSON, ALYSON	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	1.75		30-Nov-09	HANSON, ALYSON	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	1.75		
P37529-177	2900 A ST	30-Nov-09	HANSON, ALYSON	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	1.90		30-Nov-09	HANSON, ALYSON	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	1.90		
P37529-178	6601 PIONEERS BLVD	30-Nov-09	HANSON, ALYSON	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	1.47		30-Nov-09	HANSON, ALYSON	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	1.47		
P37529-179	7100 PIONEERS BLVD	30-Nov-09	HANSON, ALYSON	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	1.70		30-Nov-09	HANSON, ALYSON	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	1.70		
P37529-180	7301 STEVENS RIDGE R	30-Nov-09	HANSON, ALYSON	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	0.61		30-Nov-09	HANSON, ALYSON	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	0.61		
P37529-181	6701 S 14 ST	30-Nov-09	HANSON, ALYSON	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	0.09		30-Nov-09	HANSON, ALYSON	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	0.09		
P37529-182	2201 OLD CHENEY RD	30-Nov-09	HANSON, ALYSON	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	1.28		30-Nov-09	HANSON, ALYSON	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	1.28		
P37529-183	4000 S 27 ST	30-Nov-09	HANSON, ALYSON	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	1.84		30-Nov-09	HANSON, ALYSON	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	1.84		
P37529-184	2010 VAN DORN ST	30-Nov-09	HANSON, ALYSON	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	1.84		30-Nov-09	HANSON, ALYSON	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	1.84		
P37529-185	2145 S 17 ST	30-Nov-09	HANSON, ALYSON	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	1.53		30-Nov-09	HANSON, ALYSON	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	1.53		
P37529-185	2145 S 17 ST	30-Nov-09	HANSON, ALYSON	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	1.18		30-Nov-09	HANSON, ALYSON	Monthly Routine	Total Coliform CL	November 2009	Residual chlorine (ppm)	1.18		



NEWS ADVISORY

MAYOR CHRIS BEUTLER

lincoln.ne.gov


OFFICE OF THE MAYOR

555 South 10th Street, Lincoln, NE 68508, 441-7511, fax 441-7120

DATE: December 16, 2009

FOR MORE INFORMATION: Diane Gonzolas, Citizen Information Center, 441-7831

Mayor Chris Beutler will make an announcement about the City's stimulus-funded street projects **Thursday December 17**. The news conference will follow a ribbon-cutting at Anderson Ford Lincoln Mercury Mazda at **10 a.m. at 2500 Wildcat Drive (west side of N. 27th between Fletcher and I-80)**.



NEWS RELEASE

MAYOR CHRIS BEUTLER

lincoln.ne.gov

OFFICE OF THE MAYOR

555 South 10th Street, Lincoln, NE 68508, 441-7511, fax 441-7120

FOR IMMEDIATE RELEASE: December 17, 2009**FOR MORE INFORMATION:** Diane Gonzolas, Citizen Information Center, 441-7831
Chad Blahak, City Stimulus Coordinator, 309-4608
Greg MacLean, Public Works and Utilities Director, 441-7566

STIMULUS-FUNDED STREET PROJECTS GET GREEN LIGHT

Mayor Chris Beutler announced today that five of the City of Lincoln's Recovery Act street projects are among the first urban street projects sponsored by Nebraska cities to obtain federal approval and be put out to bid by the Nebraska Department of Roads (NDOR). The rehabilitation projects are:

- Adams Street from 57th to 62nd streets
- "A" Street from 63rd to 70th streets
- "A" Street from 70th to Imperial streets
- Van Dom from Normal to 70th streets
- Superior Street Bridge over Salt Creek

In February, the City was awarded about \$9.3 million in American Recovery and Reinvestment Act funding for streets and roads. Beutler quickly directed the City Public Works and Utilities Department to add \$6.9 million in local street funds for a combined roads package of about \$16.2 million. The Mayor's strategy in using the funds for street rehabilitation instead of new road construction allowed the City to meet the one-year stimulus time frame and "get more bang for the buck" – the City can rehabilitate 7.8 miles of streets for the same cost as building one mile of new four-lane road.

"By fixing existing streets and combining our funding sources, we are able to spread the projects over a large area of the City," Beutler said. "Eventually, we will rehabilitate 35 segments of 17 different major streets. That adds up to about 20 miles of major street rehabilitation throughout our community. The City uses a pavement management analysis system to determine the condition of City roads and help prioritize repairs."

Mayor Beutler said the City worked closely with the Federal Highway Administration and the NDOR. "It was a challenge to make sure we met all the federal requirements within the time frame of the stimulus act," Mayor Beutler said. "I'm proud of the efforts of the Public Works and Utilities staff, and I'm excited we can begin work on these projects, which will improve our streets and create jobs."

The remainder of Lincoln's stimulus-funded street projects are scheduled for bidding by NDOR in late January. Most of the projects are planned for construction next year, with many scheduled for completion in 2011. For a complete list of stimulus projects, visit the City's Web site, lincoln.ne.gov (keyword: stimulus).



INSIDE:

CONGRESS.....1
JOBS BILL1
HOUSING AND CD2
TRANSPORTATION.....2
HUMAN SERVICES3
JOB TRAINING3
PUBLIC SAFETY3
TAXES.....4
CLIMATE CHANGE.....4
PUBLIC PENSIONS4
STIMULUS4
GRANTS AND NOTICES.....5

Washington Report

Archived at:
[www.capitaledge.com/
archive.html](http://www.capitaledge.com/archive.html)

Carolyn C. Chaney
chaney@capitaledge.com

Christopher F. Giglio
giglio@capitaledge.com

Elizabeth Raines
elizabeth@capitaledge.com

CapitalEdge
1212 New York Ave., NW
Suite 250
Washington, DC 20005

(202) 842-4930
Fax: (202) 842-5051

CONGRESS NEAR COMPLETION OF FY10 BUDGET

CONGRESS

Senators take break from health care to consider FY 2010 spending. The Senate shelved the floor debate over comprehensive health care for a few days this week in order to consider a package of six FY 2010 appropriations bills. Getting to that point, however, took significant negotiation, as Republican stalling tactics threatened to jeopardize both measures.

Since FY 2010 officially began on October 1, congressional leaders have been exploring ways to gain approval of the 12 spending bills that fund government operations each year. While appropriators had hoped to consider each of the 12 measures individually for the first time in many years, slow consideration in the Senate resulted in only five being signed into law coming into this week. With an end to the Senate debate over health care nowhere in sight, leaders finally threw in the towel and packaged six of the seven remaining measures into an “omnibus” package to speed their approval (see related stories below).

While the House quickly approved the omnibus package on Thursday, Senate Majority Leader Harry Reid (D-NV) was forced to negotiate a plan for a time limit on debate of the omnibus package that would allow for the return of the health care bill to the floor. Republicans had some parliamentary tools at their disposal that could have stalled debate on both, resulting in a government shutdown on December 19 and no health care bill in 2009.

Meanwhile, House and Senate leaders also continue to discuss proposals to address high unemployment rates (see December 4 Washington Report for details), but no formal legislation has been introduced. President Obama also weighed in on the jobs front this

week (see related story below), but it is highly unlikely that a plan will be considered before the holidays.

Next week, the House is likely to consider the last of the twelve FY 2010 appropriations bills (Defense), which could also serve as a vehicle for any number of must-pass items. Expiring federal tax breaks, provisions of the Patriot Act, AND food stamps are some candidates for inclusion. The Senate hopes to complete the omnibus spending bill by Sunday and return to health care.

JOBS BILL

President announces proposals for job growth. The White House announced this week a series of proposals geared toward accelerating the pace of job growth in the country, as unemployment levels continue to hover in the double-digits nationally.

The proposal focuses on three areas: assistance to small businesses, investment in infrastructure, and energy efficiency. The most specific proposals are in the first area, and among the suggestions the President makes are:

- A one-year elimination of capital gains taxes on investments in the stock of small businesses
- A one-year extension of stimulus provisions to allow small businesses to expense up to \$250,000 of qualified investment
- A one-year extension of stimulus provisions that accelerate the rate at which small businesses can deduct the cost of capital expenditures
- A new tax cut in 2010 to encourage small business hiring
- Eliminating fees and increasing guarantees for loans through the Small Business Administration

The proposals for infrastructure were less specific. The President called for “new investments in a wide range of infrastructure,” in areas such as highways, rail, public transit, aviation, and water. He also expressed support for a merit-based approach to the infrastructure investment through a combination of grants and loans similar to the TIGER grant program at the Department of Transportation that is funded with stimulus dollars. Reports are that the President is looking at \$50 billion in spending in this area, but the White House press release did not indicate funding levels.

In the area of energy efficiency, the White House proposes that Congress create a new program that is aimed at providing rebates to consumers that make energy efficient retrofits in their homes. In addition, the proposal would extend “oversubscribed” programs in the stimulus bill that can leverage private investment and create clean energy manufacturing jobs quickly.

The White House is also endorsing the idea of using funds from the Troubled Asset Relief Program (TARP) to fund the jobs proposals. The President has pointed out that the overall cost of TARP is estimated to be \$200 billion less than originally expected. Reports are that the White House will propose a new program that would allow banks access to TARP funds with no restrictions – including executive pay – if the funds are used to make loans to small businesses.

Finally, the President’s proposal also included working with Congress on initiatives to assist the unemployed, such as an extension of unemployment benefits, an extension of the stimulus provision that helps the unemployed keep their health insurance, a \$250 payment to seniors and veterans, and “steps to ensure that state and local governments are not forced to lay-off teachers, police officers, and other key personnel at this critical time.”

HOUSING AND CD

HUD receives boost in FY 2010. The House-Senate conference report to the omnibus FY 2010 appropriations bill approved by the House this week includes the final budget for the Department of Housing and Urban Development. Overall, HUD will receive \$46 billion in

FY 2010, an increase of \$4.5 billion from its FY 2009 level.

The final HUD budget contains funding for two new initiatives of note, both of which were proposed by the Obama Administration. The Choice Neighborhoods Initiative will receive \$65 million and, according to HUD, it is designed to “challenge public, private and nonprofit partners to extend neighborhood transformation efforts beyond public housing and link housing interventions more closely with school reform and early childhood intervention.” The program is intended to eventually replace the HOPE VI program for severely distressed public housing, which received an \$80 million increase in FY 2010 to \$200 million. Additional information can be found in this HUD news release:

<http://www.hud.gov/news/release.cfm?content=pr09-119.cfm>

The new Sustainable Communities Initiative will receive \$150 million in FY 2010. It is a joint effort with the Department of Transportation (DOT), the Environmental Protection Agency (EPA), and HUD to assist communities in integrating housing, land use, and transportation plans in an environmentally sustainable manner. The HUD budget also includes \$50 million for a new Energy Innovation Fund, which will encourage private sector investment in energy efficient housing. Additional information on the Sustainable Communities Initiative, which will be administered by HUD, is in this fact sheet:

<http://www.hud.gov/content/releases/pr2009-06-16factsheet.pdf>

Other program funding for FY 2010 (with change from FY 2009 in parentheses) is as follows:

- \$3.99 billion for CDBG formula grants (+\$348m)
- \$1.825 billion for the HOME program (same as FY09)
- \$1.865 billion for homeless assistance grants (+\$188m)
- \$2.5 billion for the public housing capital fund (+\$61m)
- \$4.775 billion for the public housing operating fund (+\$575m)

- \$18.1 billion for Section 8 tenant-based rental assistance (+\$1.367b)
- \$8.158 billion for Section 8 project-based rental assistance (+\$1.058b)
- \$335 million for Housing Opportunities for Persons with AIDS (+\$25m)
- \$825 million for Section 202 housing for the elderly (+\$60m)
- \$300 million for Section 811 housing for persons with disabilities (+\$50m)
- \$17.5 million for Brownfields Redevelopment (+\$7.5m)

The Senate hopes to vote on the omnibus package over the weekend, after which it would be sent to the President for his signature.

TRANSPORTATION

FY 2010 DOT program funding in omnibus spending bill. Overall, the Department of Transportation (DOT) will be funded at \$75.7 billion in FY 2010, an increase of \$8.4 billion over FY 2009 levels. Most highway and transit programs would receive modest increases, including the following programs (with change from FY 2009 levels in parentheses):

- \$41.8 billion for federal-aid highways (+\$407m)
- \$8.3 billion for transit formula grants (+\$83m)
- \$2 billion for New Start rail projects (+\$190m)
- \$1.564 billion for Amtrak (+\$111m)

The House-Senate conference agreement calls for \$75 million for new energy efficiency and greenhouse gas reduction grants at the Federal Transit Administration (FTA). The bill did not provide funding for the program that in FY 2009 provided \$90 million in grants to states for intercity passenger rail projects, but does provide \$2.5 billion for a new program for high speed rail projects in which intercity rail would also be eligible.

No funding was provided in the bill for the President’s proposal for a National Infrastructure Bank, with conferees agreeing that the proposal is too complicated and should undergo an

authorizing process before funding is provided.

Meanwhile, this week DOT sent to Congress the sample legislative text of its proposal to expand the role of the federal government in regulating transit safety. The federal government has not had a role in transit safety since 1965, but is now addressing the matter due to several high-profile accidents involving transit vehicles this year, including a train collision in Washington, D.C. in which nine people were killed.

The House Transportation and Infrastructure Committee (T&I) held a hearing on the proposed bill this week, during which several Republican panel members expressed concerns about the bill's cost and ultimate effectiveness.

In a letter to Speaker of the House Nancy Pelosi (D-CA), DOT outlined the three key components of the proposal: allow DOT to create and enforce transit safety standards; allow states to self-certify for federal assistance in carrying out safety programs; and assure that state safety agencies are financially independent from those systems they oversee. The new safety standards would not pre-empt state regulations that are more stringent than the federal standards. Transit agencies are already subject to a varying range of state and local safety measures, but the agencies that oversee them often lack either enforcement authority or are underfunded.

Finally, Congress continues to be unable to agree on a long-term reauthorization of programs at the Federal Aviation Administration (FAA), so a three-month extension of current law was approved by both the House and Senate this week. The current extension of FAA authority expires on December 31.

HUMAN SERVICES

Congress set to complete work on HHS budget. Congress is poised to send President Obama legislation that would include the FY 2010 budget for the Department of Health and Human Services (HHS). Funding for the agency has been wrapped up into an Omnibus Appropriations bill (HR 3288) combining the six unfinished annual appropriations bills. The House passed the Conference

Report for the measure yesterday by a vote of 221-202 and the Senate is expected to clear the measure for the President's signature as soon as this evening and no later than Sunday.

Highlights of the bill, which also funds the Department of Education, include (with change from FY 2009 level excluding the stimulus in parentheses):

- \$2.19 billion for Community Health Centers (same)
- \$882 million for the Maternal and Child Health Block Grant (same)
- \$2.29 billion for Ryan White AIDS Programs (+\$52 million)
- \$5.1 billion for the Low-Income Home Energy Assistance Program (same)
- \$2.127 billion for the Child Care and Development Block Grant (same)
- \$1.7 billion for the Social Services Block Grant (same)
- \$98 million for Runaway and Homeless Youth (+\$1 million)
- \$7.234 billion for Head Start (+\$122 million)
- \$746 million for the Community Services Block Grant (same)
- \$1.518 billion for the Administration on Aging (+\$22 million)
- \$282 million for the Institute of Museum and Library Services (+\$7 million)
- \$1.186 billion for 21st Century Learning Centers (+\$35 million)

JOB TRAINING

Congress is finalizing Labor Department budget. The House cleared the Conference Report for an Omnibus Appropriations bill (HR 3288) yesterday that includes FY 2010 funding for the Department of Labor.

Overall, employment and training programs under the Workforce Investment Act would see funding at the same level as FY 2009, excluding the stimulus. Highlights include (with change from FY 2009 level excluding the stimulus in parentheses):

- \$862 million for Adult Job Training (same)

- \$924 million for Youth Job Training (same)
- \$1.413 billion for Dislocated Worker Assistance (+\$71 million)
- \$103 million for Youthbuild (+\$33 million)
- \$108 million for Ex-Offender Reintegration (same).

The Senate is expected to clear the measure for the President's signature on Sunday.

PUBLIC SAFETY

FY 2010 budget for the Department of Justice includes funding increases. The final Department of Justice (DOJ) budget for FY 2010 is \$28.077 billion, up \$2.7 billion from FY 2009. Major items in the House-Senate conference report include an increase of \$480 million in state and local law enforcement and crime prevention grants to \$3.71 billion. In recent years, DOJ had seen a drastic cut in these grants.

Community Oriented Policing Services funds to support local law enforcement agencies with hiring, technology, training, body armor, and sex-offender management grants were increased to \$791.6 million. Specifically, \$298 million is provided for police hiring, which received no funding last year. The Second Chance Act for prisoner-re-entry programs was funded at \$100 million, up from the \$25 million in last year's budget. Specific program funding for FY 2010 (with change from FY 2009 in parentheses) is as follows:

- \$591 million for Byrne Formula Grants (- \$27m)
- \$45 million for Drug Courts (+ 5m)
- \$20 million for Weed & Seed (+ 5m)
- \$423 million for Juvenile Justice (+ 49.6m)
- \$170 million for Interoperable Communications (- \$15m)
- \$418 million for Violence Against Women (- \$3m)

The conference report on the omnibus measure passed this week in the House, and the Senate plans to vote as early as this weekend.

TAXES

House clears extenders bill. By a vote of 241-181, the House cleared legislation (HR 4213) that would extend a slew of tax provisions that are set to expire at the end of this month. Although the vote was largely along party lines, most of the provisions that would be extended enjoy broad support and are renewed annually regardless of which party holds a majority.

The majority of provisions included in the bill, such as the Research and Development Tax Credit, address business concerns. The bill would also extend a number of tax provisions of interest to local government:

- Empowerment Zone tax incentives (through 2010)
- Renewal Communities tax incentives (through 2010)
- New Markets Tax Credit at \$5 billion per year (through 2011)
- Expensing of brownfields environmental remediation costs (through 2010)
- Increased contribution limits for capital gains tax exemption for property donated for conservation purposes (through 2010)
- Exclusion from taxable income of gains related to the sale of brownfields sites (through 2010)
- Additional standard deduction of state and local property taxes for taxpayers who do not otherwise itemize their deductions (through 2010)

The bill now goes to the Senate, which will likely take it up before the end of the year. However, final passage of the bill may be held up by efforts to tie it to legislation to address the expiration of the Estate Tax in 2010, which may not happen until after the first of the year.

CLIMATE CHANGE

EPA issues endangerment finding for greenhouse gases. As international climate change talks began in Copenhagen, the Environmental Protection Agency (EPA) issued a finding that greenhouse gas emissions endanger public health and the environment and that a significant percentage of those emissions come from cars and light trucks. The finding paves the way for EPA to begin regulating

greenhouse gas emissions from cars and light trucks and from other sources, including aviation, cement kilns and refineries.

The finding was clearly timed to indicate to international negotiators that the Obama Administration will act to reduce greenhouse gas emissions regardless of congressional action of legislation to enact a cap-and-trade regime to reduce greenhouse gas emissions. Many observers also interpreted the finding as a shot across the bow to the Senate, where cap-and-trade legislation is stalled. However, EPA Administrator Lisa Jackson denied such a motive, pointing out that the Supreme Court ordered EPA to determine whether greenhouse gas emissions pose a threat to public health and the environment and to act accordingly if they determined that they do.

At this point, it remains unclear how EPA will proceed to regulate greenhouse gas emissions and whether it will use a blanket approach or different approaches for different sources of greenhouse gases. However, Jackson told reporters that she does not favor setting national Ambient Air Quality Standards for greenhouse gases, which is the mechanism used to regulate other air pollutants under the Clean Air Act. EPA has already issued a proposed rule in conjunction with the National Highway Traffic Safety Administration (NHTSA) to limit car and light truck greenhouse gas emissions to 250 grams per mile and to increase average fuel efficiency from the current 25 miles per gallon to 35.5 miles per gallon by model year 2016.

PUBLIC PENSIONS

IRS further extends effective date for new retirement plan regulations. The Internal Revenue Service recently published a notice that it has extended the effective date for new regulations regarding retirement age and distributions from pension plans to **January 1, 2013**.

The Normal Retirement Age (NRA) regulations were originally published in May 2007 and were intended to go into effect for public pension plans on January 1, 2009. Late last year, the IRS

published a notice that the regulations would not go into effect until January 1, 2011, and reports were that the agency would be considering amending the regulations prior to that date.

The NRA regulations require a pension plan's normal retirement age to be an age that is "reasonably representative of the typical retirement age for the industry in which the covered workforce is employed." The NRA regulations provide that a normal retirement age of 62 or later (or age 50 or later, in the case of public safety employees) is deemed to satisfy this requirement, and a normal retirement age lower than 55 is presumed not to satisfy the requirement. Years of service would not be a consideration under the new rule.

State and local government organizations have been concerned that the regulations would be in violation of previously negotiated plans, and in some cases, violate state Constitutions regarding pensions.

According to the IRS notice, the agency will be reconsidering the regulations and possibly amending them based on comments received after the 2007 issuance. The notice does not invite further comment.

The IRS extension notice can be found here: <http://www.irs.gov/pub/irs-drop/n-09-86.pdf>

The original 2007 regulations can be found here: <http://edocket.access.gpo.gov/2007/pdf/E7-9643.pdf>

STIMULUS WATCH

Weekly update on stimulus activities.

Department of Energy

DOE has issued a Funding Opportunity Announcement (FOA) for Weatherization Training Centers and Programs. This FOA is seeking applicants who plan to develop new or expand existing weatherization training centers and training programs. DOE will work with the selected entities to develop low-income weatherization training centers or programs that provide

accelerated, standardized, and multi-tiered weatherization training. Approximately \$30 million is available for this program, and DOE expects to make 30 awards. Applicants are expected to provide at least a 20 percent match. Pages 9-10 of the FOA detail application eligibility. Applications are due on January 21, 2010: <http://www.capitaledge.com/Weather.pdf>

Department of Transportation

The Federal Transportation Administration (FTA) is holding Section 1512 Webinars that will incorporate new Office of Management and Budget guidance. FTA will provide guidance and technical assistance to facilitate compliance with the American Recovery and Reinvestment Act's (ARRA) Section 1512 reporting requirements for the quarter ending December 31, 2009. Currently, the webinars are scheduled for December 18 and December 21, 2009:

http://www.fta.dot.gov/index_9440_10870.html.

Federal Reporting

The next ARRA reporting period begins on January 1, 2010. Reporting information can be found at:

www.federalreporting.gov.

GRANTS & NOTICES

Corporation for National and Community Service

CNCS amended the initial FY 2010 AmeriCorps Notice of Federal Funding Opportunity released in November 2009. A summary of the changes, as well as additional background information and FAQs can be found at:

http://www.nationalservice.gov/for_organizations/funding/nofa_detail.asp?tbl_nofa_id=74.

Department of Homeland Security

DHS released allocations for the FY 2010 Preparedness Grant Programs:

<http://www.dhs.gov/xlibrary/assets/grant-program-overview-fy2010.pdf>.

Department of Transportation

The Federal Transportation Administration (FTA) released the notice of funding availability (NOFA) for \$130 million in Urban Circulator Systems Grants. A maximum amount of \$25 million grants for streetcars and other urban circulator

systems will be awarded using unallocated discretionary New Starts/Small Starts Program funds. Priority will be given to projects that connect destinations and foster the redevelopment of communities into walkable, mixed use, high-density environments. Eligible applicants include public bodies and agencies authorized to engage in public transportation. A 20 percent local match is required and the deadline for applications is February 8, 2010:

<http://edocket.access.gpo.gov/2009/pdf/E9-29245.pdf>.


FTA also released the NOFA for \$150 million for Bus and Bus Facilities Livability Initiative Program Grants. These grants will be awarded to replace, rehabilitate, and purchase buses and to construct bus-related facilities. FTA intends to fund as many meritorious projects as possible with these funds. Eligible applicants include states and urbanized areas with populations of 50,000 or greater. A 20 percent local match is required and the deadline for applications is February 8, 2010:

<http://edocket.access.gpo.gov/2009/pdf/E9-29242.pdf>.

Institute of Museum and Library Services

IMLS announced the availability of its 21st Century Museum Professionals (21MP) Grants. Awards of \$15,000-\$500,000 will fund a wide range of activities for both paid and unpaid museum professionals. The purpose of the 21MP program is to improve the knowledge and skills of museum staff to better enable them to connect people to information and ideas. A 100 percent non-federal cost share is required and the deadline for applications is March 15, 2010:

<http://www.imls.gov/applicants/grants/21centuryMuseums.shtm>.



NEWS RELEASE

MAYOR CHRIS BEUTLER



LINCOLN-LANCASTER COUNTY HEALTH DEPARTMENT

3140 N Street, Lincoln NE 68510 • Phone: 441-8000

Fax: 441-6229

www.lincoln.ne.gov

FOR IMMEDIATE RELEASE: December 15, 2009
FOR MORE INFORMATION: Bruce D. Dart, Ph.D., Health Director, 441-8093
Andrea Mason, Community Health Services Manager, 441-8054
Tim Timmons, Communicable Disease Supervisor, 441-8056

**Unvaccinated Individuals In The High Priority Groups Are Encouraged To
Get The H1N1 Flu Vaccine Now
Vaccine Will Be Available To The General Public Beginning December 21, 2009**

The Lincoln-Lancaster County Health Department (LLCHD) encourages individuals in the priority groups who haven't received H1N1 flu vaccine to contact their local physician or the Lincoln-Lancaster County Health Department and get vaccinated as soon as possible.

The Health Department is taking appointments for all individuals wanting to obtain the vaccine. Call 441-6262 any time between 8:00 AM and 4:30 PM. A special clinic will be held on Saturday, December 19th from 8:00 AM to 12:00 Noon for children and youth 6 months through 18 years of age. All children must be accompanied by a parent or legal guardian. Children 10 years of age need 2 doses of vaccine. The second dose is recommended 4 weeks after the first dose.

The flu season typically runs through April. It is not known what the prevalence of H1N1 flu will be throughout the flu season, therefore, getting vaccinated now will help prevent individuals from getting the flu. Our goal is to get as many people vaccinated as possible. Vaccination is the best protection against the flu.

Approximately 150,000 Lincoln and Lancaster County individuals fall into the H1N1 priority groups and of those, about one third have been vaccinated. The priority groups include:

- Pregnant women
- Caregivers in the household where there are children under 6 months of age
- Children and youth that are 6 months of age through 24 years of age
- Adults 25-64 years of age with chronic health and medical conditions, i.e., heart disease, diabetes, lung disease, asthma, or a weak immune system
- Health care and emergency personnel.

The Health Department flu clinic is located at 32nd & "O" Streets. Parking is available on the east side of the building.

###

***** ACTION BY PLANNING COMMISSION *****
December 16, 2009

NOTICE: The Lincoln/Lancaster County Planning Commission will hold a public hearing on Wednesday, December 16, 2009, at 1:00 p.m., in the City-Council Hearing Room, County-City Building, 555 S. 10th St., Lincoln, Nebraska, on the following items. For more information, call the Planning Department, 441-7491.

The Lincoln/Lancaster County Planning Commission will meet on Wednesday, December 16, 2009, in Conference Room 113 of the County/City Building, 555 S. 10th St., Lincoln, Nebraska, from 11:45 a.m. - 12:15 p.m. for a continued discussion on "Small Lot" legislation and from 12:15 p.m. - 12:45 p.m. for a review of Downtown Design Standards.

**** PLEASE NOTE:** The Planning Commission action is final action on any item with a notation of "FINAL ACTION". Any aggrieved person may appeal Final Action of the Planning Commission to the City Council by filing a Notice of Appeal with the City Clerk within 14 days following the action of the Planning Commission.

The Planning Commission action on all other items is a recommendation to the City Council or County Board.

AGENDA

WEDNESDAY, DECEMBER 16, 2009

[All members present]

Approval of minutes of the regular meeting held December 2, 2009. ****APPROVED, 9-0****

1. **CONSENT AGENDA**
(Public hearing and Administrative Action):

CHANGE OF ZONE:

- Page 01
- 1.1 Change of Zone No. 09027, from R-3 Residential District to B-2 Planned Neighborhood Business District, on property generally located at Lucile Drive and Pioneers Boulevard.
Staff recommendation: Approval
Staff Planner: Brian Will, 441-6362, bwill@lincoln.ne.gov
Removed from Consent Agenda and called under Requests for Deferral. Planning Commission granted the applicant's request for deferral of the public hearing until Wednesday, January 13, 2010, 1:00 p.m.

PERMITS:

- Page 11
- 1.2 Special Permit No. 384G, an amendment to expand the existing health care facility, on property located at 4720 Randolph Street.
***** FINAL ACTION *****
Staff recommendation: Conditional Approval
Staff Planner: Brian Will, 441-6362, bwill@lincoln.ne.gov
Removed from Consent Agenda and had separate public hearing. Planning Commission 'final action': CONDITIONAL APPROVAL, as set forth in the staff report dated December 1, 2009, with amendment to Condition #1.2, as requested by the applicant and agreed upon by staff, 9-0.
Resolution No. PC-01186.
- Page 29
- 1.3 Special Permit No. 09027, to allow an indoor kennel, on property generally located at S. 40th Street and Old Cheney Road.
***** FINAL ACTION *****
Staff recommendation: Conditional Approval
Staff Planner: Brian Will, 441-6362, bwill@lincoln.ne.gov
Planning Commission 'final action': CONDITIONAL APPROVAL, as set forth in the staff report dated December 3, 2009.
Resolution No. PC-01187.

2. **REQUESTS FOR DEFERRAL: (See Item 1.1 above)**

4. PUBLIC HEARING AND ADMINISTRATIVE ACTION:

COMPREHENSIVE PLAN:

Page
39

4.1 Comprehensive Plan Conformance No. 09013, to review as to conformance with the 2030 Lincoln-Lancaster County Comprehensive Plan, a proposed amendment to the Lincoln Center Redevelopment Plan to add the “Catalyst One/Civic Plaza Redevelopment Project” to develop a new public plaza and supporting streetscape enhancements with the construction of a mixed-use public parking facility with retail on the ground floor and residential units above the garage. The Project Area is bounded by 13th, 14th, P and Q Streets. The Lincoln Center Redevelopment Plan Area is generally bounded by Salt Creek, Interstate 180 and “R” Street on the north, 17th Street on the east, “G” Street on the south, and Salt Creek, 2nd Street and Sun Valley Boulevard on the west.

**Staff recommendation: Conformance with the Comprehensive Plan
Staff Planner: Brandon Garrett, 441-6373, bgarrett@lincoln.ne.gov
Had public hearing.**

**Planning Commission recommendation: A FINDING OF
CONFORMANCE WITH THE COMPREHENSIVE PLAN, 9-0.**

**Public Hearing before City Council tentatively scheduled for Monday,
January 11, 2010, 3:00 p.m.**

CHANGE OF ZONE:

Page
61

4.2 Change of Zone No. 09028, from P Public Use District to R-4 Residential District, on property generally located at S. 10th Street and South Street.

**Staff recommendation: Approval
Staff Planner: Christy Eichorn, 441-7603, ceichorn@lincoln.ne.gov
Had public hearing.**

Planning Commission recommendation: APPROVAL, 9-0.

**Public Hearing before City Council tentatively scheduled for Monday,
January 11, 2010, 3:00 p.m.**

* * * * *

**AT THIS TIME, ANYONE WISHING TO SPEAK ON AN ITEM
NOT ON THE AGENDA, MAY DO SO**

* * * * *

PENDING LIST: None

Planning Dept. staff contacts:

Steve Henrichsen, Development Review Manager	441-6374	..	shenrichsen@lincoln.ne.gov
Nicole Fleck-Tooze, Long Range Planning Manager	441-6363	..	ntooze@lincoln.ne.gov
Mike Brienzo, Transportation Planner	441-6369	..	mbrienzo@lincoln.ne.gov
Tom Cajka, Planner	441-5662	..	tcajka@lincoln.ne.gov
David Cary, Long Range Planner	441-6364	..	dcary@lincoln.ne.gov
Mike DeKalb, Planner	441-6370	..	mdekalb@lincoln.ne.gov
Christy Eichorn, Planner	441-7603	..	ceichorn@lincoln.ne.gov
Brandon Garrett, Planner	441-6373	..	bgarrett@lincoln.ne.gov
Rashi Jain, Planner	441-6372	..	rjain@lincoln.ne.gov
Brian Will, Planner	441-6362	..	bwill@lincoln.ne.gov
Ed Zimmer, Historic Preservation Planner	441-6360	..	ezimmer@lincoln.ne.gov

**The Planning Commission has canceled their meeting scheduled for
December 30, 2009.**

* * * * *

**The Planning Commission meeting
which is broadcast live at 1:00 p.m. every other Wednesday
will be rebroadcast on Sundays at 1:00 p.m. on 5 City-TV, Cable Channel 5.**

* * * * *

**The Planning Commission agenda may be accessed on the Internet at
<http://www.lincoln.ne.gov/city/plan/pcagenda/index.htm>**

**PLANNING COMMISSION FINAL ACTION
NOTIFICATION**

TO : Mayor Chris Beutler
Lincoln City Council

FROM : Jean Preister, Planning 

DATE : December 17, 2009

RE : **Special Permit No. 09027**
(Indoor kennel - NW corner, South 40th and Old Cheney Road)
Resolution No. PC-01187

The Lincoln City-Lancaster County Planning Commission took the following action at their regular meeting on Wednesday, December 16, 2009:

Motion made by Esseks, seconded by Francis, to approve **Special Permit No. 09027**, with conditions, requested by Spanish Oaks, Inc., for authority to operate an indoor kennel less than 200 feet from a residential district, on property generally located at the northwest corner of South 40th Street and Old Cheney Road.

Motion for conditional approval carried 9-0: Larson, Taylor, Francis, Partington, Lust, Cornelius, Esseks, Gaylor Baird and Sunderman voting 'yes'.

The Planning Commission's action is final, unless appealed to the City Council by filing a Letter of Appeal with the City Clerk within 14 days of the date of the action by the Planning Commission.

The Letter of Acceptance will be mailed to the permittee by the City Clerk at the end of the 14-day appeal period.

Attachment

cc: Building & Safety
Rick Peo, City Attorney
Public Works
Peter Kalt, Baylor Evnen, 1248 O Street, Suite 600, 68508
Ocho Properties, LLC, 1201 N Street, Suite 102, 68508
Spanish Oaks, Inc., 5820 Westown Parkway, West Des Moines, IA 50266
Joan Steinman, Jamestown Homeowners Assn., 3220 Jamestown Road, 68516
Helen Eckholt, Jamestown Homeowners Assn., 3210 Orwell Street, 68516

RESOLUTION NO. PC- 01187

SPECIAL PERMIT NO. 09027

1 WHEREAS, Spanish Oaks Inc. has submitted an application designated as
2 Special Permit No. 09027 for authority to operate an indoor kennel less than 200 feet from
3 a residential district on property generally located at the northwest corner of South 40th
4 Street and Old Cheney Road and legally described as:

5 Lot 1, Hoppe's Replat of Briarhurst West Addition, Lincoln,
6 Lancaster County, Nebraska, except the portion thereof
7 described as follows:

8 Beginning at the southeast corner of said Lot 1 and running
9 thence due north along the east line of said Lot 1, a distance of
10 660.05 feet to the northeast corner of said Lot 1; thence south
11 89 degrees 59 minutes 20 seconds west along the north line
12 of said Lot 1, a distance of 167.13 feet; thence south 00
13 degrees 00 minutes 40 seconds east, a distance of 234.67
14 feet; thence north 89 degrees 59 minutes 20 seconds east, a
15 distance of 8.00 feet; thence south 00 degrees 00 minutes 40
16 seconds east, a distance of 46.67 feet; thence south 89
17 degrees 59 minutes 20 seconds west, a distance of 9.42 feet;
18 thence due south a distance of 388.43 feet to a point on the
19 south line of said Lot 1; thence south 89 degrees 55 minutes
20 00 seconds east, a distance of 168.50 feet to the point of
21 beginning, and containing 2.54 acres more or less;

22 WHEREAS, the Lincoln City-Lancaster County Planning Commission has
23 held a public hearing on said application; and

1 WHEREAS, the community as a whole, the surrounding neighborhood, and
2 the real property adjacent to the area included within the site plan for this indoor kennel will
3 not be adversely affected by granting such a permit; and

4 WHEREAS, said site plan together with the terms and conditions hereinafter
5 set forth are consistent with the comprehensive plan of the City of Lincoln and with the
6 intent and purpose of Title 27 of the Lincoln Municipal Code to promote the public health,
7 safety, and general welfare.

8 NOW, THEREFORE, BE IT RESOLVED by the Lincoln City-Lancaster
9 County Planning Commission of Lincoln, Nebraska:

10 That the application of Spanish Oaks Inc., hereinafter referred to as
11 "Permittee", to operate an indoor kennel less than 200 feet from a residential district, be
12 and the same is hereby granted under the provisions of Section 27.63.790 of the Lincoln
13 Municipal Code upon condition that operation of said kennel be in substantial compliance
14 with said application, the site plan, and the following additional express terms, conditions,
15 and requirements:

16 1. This approval permits an indoor kennel less than 200 feet from a
17 residential district.

18 2. Before receiving building permits, the Permittee shall cause to be
19 prepared and submitted to the Planning Department:


20 a. A revised and reproducible final plot plan including 5 copies
21 showing the following revisions:

22 i. Revise the site plan to reflect the changes made to Use
23 Permit 29A by Administrative Amendment 05037.

1 60-day period may be extended up to six months by administrative amendment. The City
2 Clerk shall file a copy of the resolution approving the special permit and the letter of
3 acceptance with the Register of Deeds, filling fees therefor to be paid in advance by the
4 Permittee.

5 The foregoing Resolution was approved by the Lincoln City-Lancaster
6 County Planning Commission on this 16 day of December, 2009.


ATTEST:


Chair

Approved as to Form & Legality:



Chief Assistant City Attorney





Special Permit #09027 S 40th St & Old Cheney Rd


2007 aerial

Zoning:

- R-1 to R-8 Residential District
- AG Agricultural District
- AGR Agricultural Residential District
- O-1 Office District
- O-2 Suburban Office District
- O-3 Office Park District
- R-T Residential Transition District
- B-1 Local Business District
- B-2 Planned Neighborhood Business District
- B-3 Commercial District
- B-4 Lincoln Center Business District
- B-5 Planned Regional Business District
- H-1 Interstate Commercial District
- H-2 Highway Business District
- H-3 Highway Commercial District
- H-4 General Commercial District
- I-1 Industrial District
- I-2 Industrial Park District
- I-3 Employment Center District
- P Public Use District

One Square Mile
Sec. 7 T09N R7E





 - CONCEPT AREA

Mary M. Meyer

From: Karen K. Sieckmeyer
Sent: Thursday, December 17, 2009 2:39 PM
To: Council Packet
Subject: Contact for Snow Information

Please contact Scott Opfer at 441-7851 or sopfer@lincoln.ne.gov for any snow information.

Thanks,

Karen Sieckmeyer
Executive Secretary
Public Works and Utilities
555 South 10th, Room 203
Lincoln, NE 68508
sieckmeyer@lincoln.ne.gov
402-441-7566
402-441-8609 (fax)

Tammy J. Grammer

From: WebForm [none@lincoln.ne.gov]
Sent: Tuesday, December 15, 2009 9:41 AM
To: Tammy J. Grammer
Subject: InterLinc: Council Feedback

InterLinc: City Council Feedback for
General Council

Name: Sandra Elton
Address: 8707 Colby Street
City: Lincoln, NE 68505

Phone: 325-0441
Fax:
Email: sjelton@windstream.net

Comment or Question:

Hello Doug:

Just wanted to let you know that the person you refer me never contacted me. I realize the weather but to never contact.. business as usally with the city. Also we live on a curve that the person who sholves never scoops to the edge of our street... the postman and every other person is complaining to us... (and no they can't use the large amount of snow -- they just don't do it) my daughter got stuck with the kids) PLease help us...

Sandy Elton