







PROJ: 70028 OLD AS OF 070610.dwg  
 PEN: \\nables\Pen\SW\_PENTABLE.TBL  
 USER: elocaw  
 DATE: 9/27/2011  
 DGN: ..STANDARD\_Current\Nsp0001.dgn



	1.5% DESIRABLE MAXIMUM (2.0% ABSOLUTE MAXIMUM) SLOPE
	7.3% DESIRABLE MAXIMUM (8.3% ABSOLUTE MAXIMUM) SLOPE
	9.0% DESIRABLE MAXIMUM (10.0% ABSOLUTE MAXIMUM) SLOPE


SLOPES MAY BE LESS THAN THE DESIRABLE MAXIMUM, BUT SHALL NOT EXCEED THE ABSOLUTE MAXIMUM. THE CONTRACTOR SHOULD ACCOUNT FOR CONSTRUCTION TOLERANCES TO PREVENT EXCEEDING THE MAXIMUM SLOPES. ANY SLOPES EXCEEDING THE ABSOLUTE MAXIMUMS SHALL NOT BE ACCEPTED WITHOUT PRIOR APPROVAL FROM THE PROJECT MANAGER.

**SLOPE LEGEND**


FOR FURTHER DETAILS SEE NOTES ON SHEET 3




PROJ: 70028 OLD AS OF 070610.dwg  
 PEN: ..\..\..\..\..\Pen\SW\_PENTABLE.TBL  
 USER: elocaw  
 DATE: 9/27/2011  
 DGN: ..\STANDARD\Current\Nsp0002.dgn




**TYPE C PLAN**




**TYPE C CROSS SECTION SECTION A-A**




**ISOMETRIC VIEW**



**TYPE D PLAN**



**TYPE D CROSS SECTION SECTION A-A**




**ISOMETRIC VIEW**


	1.5% DESIRABLE MAXIMUM (2.0% ABSOLUTE MAXIMUM) SLOPE
	7.3% DESIRABLE MAXIMUM (8.3% ABSOLUTE MAXIMUM) SLOPE
	9.0% DESIRABLE MAXIMUM (10.0% ABSOLUTE MAXIMUM) SLOPE

SLOPES MAY BE LESS THAN THE DESIRABLE MAXIMUM, BUT SHALL NOT EXCEED THE ABSOLUTE MAXIMUM. THE CONTRACTOR SHOULD ACCOUNT FOR CONSTRUCTION TOLERANCES TO PREVENT EXCEEDING THE MAXIMUM SLOPES. ANY SLOPES EXCEEDING THE ABSOLUTE MAXIMUMS SHALL NOT BE ACCEPTED WITHOUT PRIOR APPROVAL FROM THE PROJECT MANAGER.


**SLOPE LEGEND**



**TYPE E PLAN**



**TYPE E CROSS SECTION SECTION A-A**









**ISOMETRIC VIEW**

FOR FURTHER DETAILS SEE NOTES ON SHEET 3





PROJ: 70028 OLD AS OF 070610.dwg  
 PEN: ..\..\..\..\..\Pen\GW\_PENTABLE.TBL  
 USER: elocaw  
 DATE: 9/27/2011  
 DGN: ..\STANDARD\Current\lsp600s4.dgn



	1.5% DESIRABLE MAXIMUM (2.0% ABSOLUTE MAXIMUM) SLOPE
	7.3% DESIRABLE MAXIMUM (8.3% ABSOLUTE MAXIMUM) SLOPE
	9.0% DESIRABLE MAXIMUM (10.0% ABSOLUTE MAXIMUM) SLOPE










SLOPES MAY BE LESS THAN THE DESIRABLE MAXIMUM, BUT SHALL NOT EXCEED THE ABSOLUTE MAXIMUM. THE CONTRACTOR SHOULD ACCOUNT FOR CONSTRUCTION TOLERANCES TO PREVENT EXCEEDING THE MAXIMUM SLOPES. ANY SLOPES EXCEEDING THE ABSOLUTE MAXIMUMS SHALL NOT BE ACCEPTED WITHOUT PRIOR APPROVAL FROM THE PROJECT MANAGER.

**SLOPE LEGEND**

FOR FURTHER DETAILS, SEE NOTES ON SHEET 3



This document was originally issued and sealed by Thomas S. Shafer, E-10679, on 6-7-11. This media should not be considered a certified document.



	1.5% DESIRABLE MAXIMUM (2.0% ABSOLUTE MAXIMUM) SLOPE
	7.3% DESIRABLE MAXIMUM (8.3% ABSOLUTE MAXIMUM) SLOPE
	9.0% DESIRABLE MAXIMUM (10.0% ABSOLUTE MAXIMUM) SLOPE

SLOPES MAY BE LESS THAN THE DESIRABLE MAXIMUM, BUT SHALL NOT EXCEED THE ABSOLUTE MAXIMUM. THE CONTRACTOR SHOULD ACCOUNT FOR CONSTRUCTION TOLERANCES TO PREVENT EXCEEDING THE MAXIMUM SLOPES. ANY SLOPES EXCEEDING THE ABSOLUTE MAXIMUMS SHALL NOT BE ACCEPTED WITHOUT PRIOR APPROVAL FROM THE PROJECT MANAGER.

**SLOPE LEGEND**

FOR FURTHER DETAILS, SEE NOTES ON SHEET 3



