


# Site Plan for Individual Lots Type A

Not to Scale

Reduce sediment leaving your construction site by implementing Best Management Practices (BMPs) such as:

1. Limit mud track-out onto private or public streets by parking on paved streets or driveways whenever possible. If necessary, utilize a temporary gravel drive.
2. Clean up any mud that has been tracked off the construction site in a thorough and timely manner.
3. Implement sediment controls along the lower sides of the property to protect adjacent waterways, storm drains or neighboring property from sedimentation.
4. Keep a clean site. Dispose of construction waste materials and debris in a dumpster or containment device.
5. Have your portable toilet staked and anchored away from any storm drain inlets.
6. Inspect your site weekly and after rain events to find any potential problems and keep your Best Management Practices repaired and in good working order.

For more information on erosion and sediment control Best Management Practices, review Chapter 9 of the City of Lincoln Drainage Criteria Manual.



**DISCLAIMER:** The City of Lincoln does not incur any liability for the use or misuse of this site plan.


# Site Plan for Individual Lots Type B

Not to Scale

Reduce sediment leaving your construction site by implementing Best Management Practices (BMPs) such as:

1. Limit mud track-out onto private or public streets by parking on paved streets or driveways whenever possible. If necessary, utilize a temporary gravel drive.
2. Clean up any mud that has been tracked off the construction site in a thorough and timely manner.
3. Implement sediment controls along the lower sides of the property to protect adjacent waterways, storm drains or neighboring property from sedimentation.
4. Keep a clean site. Dispose of construction waste materials and debris in a dumpster or containment device.
5. Have your portable toilet staked and anchored away from any storm drain inlets.
6. Inspect your site weekly and after rain events to find any potential problems and keep your Best Management Practices repaired and in good working order.

For more information on erosion and sediment control Best Management Practices, review Chapter 9 of the City of Lincoln Drainage Criteria Manual.



**DISCLAIMER:** The City of Lincoln does not incur any liability for the use or misuse of this site plan.


# Site Plan for Individual Lots Type C

Not to Scale

Reduce sediment leaving your construction site by implementing Best Management Practices (BMPs) such as:

1. Limit mud track-out onto private or public streets by parking on paved streets or driveways whenever possible. If necessary, utilize a temporary gravel drive.
2. Clean up any mud that has been tracked off the construction site in a thorough and timely manner.
3. Implement sediment controls along the lower sides of the property to protect adjacent waterways, storm drains or neighboring property from sedimentation.
4. Keep a clean site. Dispose of construction waste materials and debris in a dumpster or containment device.
5. Have your portable toilet staked and anchored away from any storm drain inlets.
6. Inspect your site weekly and after rain events to find any potential problems and keep your Best Management Practices repaired and in good working order.

For more information on erosion and sediment control Best Management Practices, review Chapter 9 of the City of Lincoln Drainage Criteria Manual.



**DISCLAIMER:** The City of Lincoln does not incur any liability for the use or misuse of this site plan.